



PATENT
Customer No. 22,852
Attorney Docket No. 97-823RCE1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
)	Notice of Allowance Dated: October 27, 2005
Andrew Fransman et al.)	
)	Group Art Unit: 2611
Application No.: 09/204,523)	
)	Examiner: R. Brown
Filed: December 3, 1998)	
)	
For: METHOD AND APPARATUS)	Confirmation No.: 5617
FOR NEAR VIDEO ON)	
DEMAND)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

SUBMISSION OF REPLACEMENT DRAWINGS

Subject to the approval of the Examiner, please replace the drawings in the above-identified application with the thirty-six (36) sheets of drawings filed herewith (Figures 1-35). If the replacement drawings for any reason are not in full compliance with the pertinent statutes and regulations, please so advise the undersigned.

The replacement drawings make no substantive changes to the originally-filed drawings, but rather place the drawings in formal format. If the replacement drawings for any reason are not in full compliance with the pertinent statutes and regulations, please so advise the undersigned.

If any fees are necessary for the submission of these formal drawings, please charge our Deposit Account No. 07-2339.

Respectfully submitted,

Dated: January 27, 2006

By: Leonard Charles Suchyta
Leonard C. Suchyta, Esq. /cs
Reg. No. 25,707